



**BUREAU
VERITAS**



EN ISO/IEC 17065
S1-355

Notified body No1697
Bureau Veritas Latvia
17a Dunties street, Riga, LV-1005, Latvia

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1697 – CPR – 23/015

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

firesafe doors - doors plain EI45_1, doors plain EI45_2

(characteristics are detailed in the attached annex)

placed on the market under the name or trade mark of

SIA "LAIMDOTAS"

"Laimdotas", Dekšne, Padure parish, Kuldīga county, LV-3321

and produced in the manufacturing plant

"Laimdotas", Dekšne, Padure parish, Kuldīga county, LV-3321

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

**EN 16034:2014 Pedestrian doorsets, industrial, commercial, garage doors and openable windows
- Product standard, performance characteristics - Fire resisting and/or smoke control
characteristics**

and

**EN 14351-1:2006+A2:2016 Windows and doors - Product standard, performance characteristics
- Part 1: Windows and external pedestrian doorsets**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on **23/03/2023** and will remain valid until **22/03/2026** as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified certification body.

To check the validity date of this certificate, please call +371 67323246.

Annex to certificate on 1 (one) page is integral part of this certificate.

Further clarification regarding the scope of this certificate and the applicability of the system requirements may be obtained by consulting to Bureau Veritas Latvia.

Certificate issued: **Riga, 23/03/2023**

Version: **1**

Certificate validity: **22/03/2026**

Bureau Veritas Latvia Ltd
Member of the board



Iveta Lazdiņa



ANNEX TO CERTIFICATE: 1697-CPR-23/015

Date: 23/03/2023

Unique identification code of the product type	Essential characteristics	Performance
Doors plain EI45_1	Resistance to fire E: 45 EI ₁ : 45 EI ₂ : 45 EW: 30	
Doors plain EI45_2	Resistance to fire E: 45 EI ₁ : 45 EI ₂ : 45 EW: 30	

Bureau Veritas Latvia Ltd
Member of the board

Dunties street 17a, Riga, LV-1005, Latvia



Iveta Lazdiņa